

Han D F Crimp Contact Au AWG 26 - 22



| Part number | 09 15 000 6227 |
|--------------------|--------------------------------------|
| Specification | Han D F Crimp Contact Au AWG 26 - 22 |
| HARTING eCatalogue | https://b2b.harting.com/09150006227 |

Image is for illustration purposes only. Please refer to product description.

Identification

| Category | Contacts |
|-----------------|--------------------|
| Series | Han D [®] |
| Type of contact | Crimp contact |

Version

| Manufacturing process | Gender | Female |
|-----------------------|-----------------------|-----------------|
| Manufacturing process | Manufacturing process | Turned contacts |

Technical characteristics

| Conductor cross-section | 0.14 0.37 mm² |
|-------------------------|---------------|
| Conductor cross-section | AWG 26 AWG 22 |
| Rated current | ≤10 A |
| Contact resistance | ≤3 mΩ |
| Stripping length | 8 mm |

Material properties

| Material (contacts) | Copper alloy |
|-----------------------------|--|
| Surface (contacts) | Gold plated |
| RoHS | compliant with exemption |
| RoHS exemptions | 6(c): Copper alloy containing up to 4 % lead by weight |
| ELV status | compliant with exemption |
| China RoHS | 50 |
| REACH Annex XVII substances | Not contained |



Material properties

| REACH ANNEX XIV substances | Not contained |
|--------------------------------------|--------------------------------------|
| REACH SVHC substances | Yes |
| REACH SVHC substances | Lead |
| ECHA SCIP number | b51e5b97-eeb5-438b-8538-f1771d43c17d |
| California Proposition 65 substances | Yes |
| California Proposition 65 substances | Lead |

Specifications and approvals

| Specifications | IEC 60664-1 |
|----------------|-------------|
| Specifications | IEC 61984 |

Commercial data

| Packaging size | 100 |
|--------------------------------|--|
| Net weight | 0.62 g |
| Country of origin | Germany |
| European customs tariff number | 85366990 |
| GTIN | 5713140022188 |
| ETIM | EC000796 |
| eCl@ss | 27440204 Contact for industrial connectors |