

# ARCA 302015



Sample image

**Order symbol :** ARCA 302015

**Product nr :** 8120002

**Description :** Cabinet, PC


**Remarks :** Grey cover, 1-point locking, hinges on the long side

**EAN :** 6418074079138

**El. number :**

- Finland : 3423044
- Denmark : 8212091003
- Sweden : 2500110

**Including :** Cabinet base. door with PUR gasket. mounting plate. screws for mounting plate. 3mm double bit lock(s) with key. S versions with swinghandle 2-point locking system. Door guide included.



#### Dimensions :

| mm :   | Height | Width | Depth |
|--------|--------|-------|-------|
| mm :   | 300    | 200   | 150   |
| inch : | 11.81  | 7.87  | 5.91  |

#### Materials :

|                   |                      |
|-------------------|----------------------|
| Material :        | Polycarbonate        |
| Base colour :     | RAL_7035             |
| Cover colour :    | RAL 7035 -light grey |
| Gasket material : | Polyurethane         |

#### Temperatures :

|                               |             |
|-------------------------------|-------------|
| Temperature °C (short term) : | -40 ... 120 |
| Temperature °C (continuous) : | -40 ... 80  |
| Temperature °F (short term) : | -40 ... 250 |
| Temperature °F (continuous) : | -40 ... 175 |

#### Accessories :

|                 |                                                                              |
|-----------------|------------------------------------------------------------------------------|
| MPP ARCA 3020   | Mounting plate perforated (250x150x2 mm - 26x11 mm)<br>(250 x 150 x 2)       |
| DRS ARCA 302015 | DIN rail frame set<br>(285 x 185 x 35)                                       |
| MPMP ARCA 3020  | Mounting plate multiperforated (250x150x2 mm - ø3.6 mm)<br>(250 x 150 x 1.5) |
| PMK ARCA 20     | PoleMounting kit, for pole ø100-300mm<br>(385 x 285 x 35)                    |
| RCS ARCA 3020   | Rain canopy set for size 3020<br>(30 x 200 x 20)                             |
| MPS ARCA 3020   | Mounting plate (250x150x2 mm)<br>(250 x 150 x 2)                             |
| IDS ARCA 3020   | Inner door set<br>(285 x 185 x 35)                                           |
| MPX ARCA 3020   | Mounting plate (250x150 mm)<br>(250 x 150 x 15)                              |

#### Ratings :

|                                |                   |
|--------------------------------|-------------------|
| Ingress protection (EN 60529): | IP66;             |
| Impact Resistance (EN 62262):  | IK10;             |
| electrical_insulation :        | Totally insulated |

|                                         |                    |
|-----------------------------------------|--------------------|
| Halogen free (DIN/VDE 0472, Part 815) : | Yes                |
| UV resistance :                         | UL 746C            |
| Flammability Rating :                   | UL 94 5VA          |
| Glow Wire Test (IEC 695-2-1) °C :       | 960C               |
| UL Type                                 | NEMA__1_4_4X_12_13 |

**Certificates :**

Certificate FI 40467